

Project 1


Partner for Contact:
Order No.:
Company:
Customer No.:

Date: 05.02.2015
Operator:

www.soluciones-led.com

Operator
Telephone
Fax
e-Mail


Room 1 / Floor plan



Scale 1 : 1109

Operator
Telephone
Fax
e-Mail

Room 1 / Luminaires (layout plan)



Scale 1 : 1109

Luminaire Parts List


No.	Pieces	Designation
1	378	□□L-200W-CL2

www.soluciones3d.com

Operator
Telephone
Fax
e-Mail

Room 1 / Luminaires (coordinates list)

15827 lm, 200.0 W, 1 x 1 x User defined (Correction Factor 1.000).



No.	Position [m]			Rotation [°]		
	X	Y	Z	X	Y	Z
1	3.690	2.139	4.750	0.0	0.0	90.0
2	3.690	6.417	4.750	0.0	0.0	90.0
3	3.690	10.694	4.750	0.0	0.0	90.0
4	3.690	14.972	4.750	0.0	0.0	90.0
5	3.690	19.250	4.750	0.0	0.0	90.0
6	3.690	23.528	4.750	0.0	0.0	90.0
7	3.690	27.806	4.750	0.0	0.0	90.0
8	3.690	32.083	4.750	0.0	0.0	90.0
9	3.690	36.361	4.750	0.0	0.0	90.0
10	3.690	40.639	4.750	0.0	0.0	90.0
11	3.690	44.917	4.750	0.0	0.0	90.0
12	3.690	49.194	4.750	0.0	0.0	90.0
13	3.690	53.472	4.750	0.0	0.0	90.0
14	3.690	57.750	4.750	0.0	0.0	90.0
15	3.690	62.028	4.750	0.0	0.0	90.0
16	3.690	66.306	4.750	0.0	0.0	90.0
17	3.690	70.583	4.750	0.0	0.0	90.0
18	3.690	74.861	4.750	0.0	0.0	90.0
19	11.071	2.139	4.750	0.0	0.0	90.0
20	11.071	6.417	4.750	0.0	0.0	90.0
21	11.071	10.694	4.750	0.0	0.0	90.0
22	11.071	14.972	4.750	0.0	0.0	90.0
23	11.071	19.250	4.750	0.0	0.0	90.0
24	11.071	23.528	4.750	0.0	0.0	90.0
25	11.071	27.806	4.750	0.0	0.0	90.0
26	11.071	32.083	4.750	0.0	0.0	90.0
27	11.071	36.361	4.750	0.0	0.0	90.0
28	11.071	40.639	4.750	0.0	0.0	90.0

Operator
Telephone
Fax
e-Mail

Room 1 / Luminaires (coordinates list)

No.	Position [m]			Rotation [°]		
	X	Y	Z	X	Y	Z
29	11.071	44.917	4.750	0.0	0.0	90.0
30	11.071	49.194	4.750	0.0	0.0	90.0
31	11.071	53.472	4.750	0.0	0.0	90.0
32	11.071	57.750	4.750	0.0	0.0	90.0
33	11.071	62.028	4.750	0.0	0.0	90.0
34	11.071	66.306	4.750	0.0	0.0	90.0
35	11.071	70.583	4.750	0.0	0.0	90.0
36	11.071	74.861	4.750	0.0	0.0	90.0
37	18.452	2.139	4.750	0.0	0.0	90.0
38	18.452	6.417	4.750	0.0	0.0	90.0
39	18.452	10.694	4.750	0.0	0.0	90.0
40	18.452	14.972	4.750	0.0	0.0	90.0
41	18.452	19.250	4.750	0.0	0.0	90.0
42	18.452	23.528	4.750	0.0	0.0	90.0
43	18.452	27.806	4.750	0.0	0.0	90.0
44	18.452	32.083	4.750	0.0	0.0	90.0
45	18.452	36.361	4.750	0.0	0.0	90.0
46	18.452	40.639	4.750	0.0	0.0	90.0
47	18.452	44.917	4.750	0.0	0.0	90.0
48	18.452	49.194	4.750	0.0	0.0	90.0
49	18.452	53.472	4.750	0.0	0.0	90.0
50	18.452	57.750	4.750	0.0	0.0	90.0
51	18.452	62.028	4.750	0.0	0.0	90.0
52	18.452	66.306	4.750	0.0	0.0	90.0
53	18.452	70.583	4.750	0.0	0.0	90.0
54	18.452	74.861	4.750	0.0	0.0	90.0
55	25.833	2.139	4.750	0.0	0.0	90.0
56	25.833	6.417	4.750	0.0	0.0	90.0
57	25.833	10.694	4.750	0.0	0.0	90.0
58	25.833	14.972	4.750	0.0	0.0	90.0
59	25.833	19.250	4.750	0.0	0.0	90.0
60	25.833	23.528	4.750	0.0	0.0	90.0
61	25.833	27.806	4.750	0.0	0.0	90.0
62	25.833	32.083	4.750	0.0	0.0	90.0
63	25.833	36.361	4.750	0.0	0.0	90.0
64	25.833	40.639	4.750	0.0	0.0	90.0
65	25.833	44.917	4.750	0.0	0.0	90.0
66	25.833	49.194	4.750	0.0	0.0	90.0

Operator
Telephone
Fax
e-Mail

Room 1 / Luminaires (coordinates list)

No.	Position [m]			Rotation [°]		
	X	Y	Z	X	Y	Z
67	25.833	53.472	4.750	0.0	0.0	90.0
68	25.833	57.750	4.750	0.0	0.0	90.0
69	25.833	62.028	4.750	0.0	0.0	90.0
70	25.833	66.306	4.750	0.0	0.0	90.0
71	25.833	70.583	4.750	0.0	0.0	90.0
72	25.833	74.861	4.750	0.0	0.0	90.0
73	33.214	2.139	4.750	0.0	0.0	90.0
74	33.214	6.417	4.750	0.0	0.0	90.0
75	33.214	10.694	4.750	0.0	0.0	90.0
76	33.214	14.972	4.750	0.0	0.0	90.0
77	33.214	19.250	4.750	0.0	0.0	90.0
78	33.214	23.528	4.750	0.0	0.0	90.0
79	33.214	27.806	4.750	0.0	0.0	90.0
80	33.214	32.083	4.750	0.0	0.0	90.0
81	33.214	36.361	4.750	0.0	0.0	90.0
82	33.214	40.639	4.750	0.0	0.0	90.0
83	33.214	44.917	4.750	0.0	0.0	90.0
84	33.214	49.194	4.750	0.0	0.0	90.0
85	33.214	53.472	4.750	0.0	0.0	90.0
86	33.214	57.750	4.750	0.0	0.0	90.0
87	33.214	62.028	4.750	0.0	0.0	90.0
88	33.214	66.306	4.750	0.0	0.0	90.0
89	33.214	70.583	4.750	0.0	0.0	90.0
90	33.214	74.861	4.750	0.0	0.0	90.0
91	40.595	2.139	4.750	0.0	0.0	90.0
92	40.595	6.417	4.750	0.0	0.0	90.0
93	40.595	10.694	4.750	0.0	0.0	90.0
94	40.595	14.972	4.750	0.0	0.0	90.0
95	40.595	19.250	4.750	0.0	0.0	90.0
96	40.595	23.528	4.750	0.0	0.0	90.0
97	40.595	27.806	4.750	0.0	0.0	90.0
98	40.595	32.083	4.750	0.0	0.0	90.0
99	40.595	36.361	4.750	0.0	0.0	90.0
100	40.595	40.639	4.750	0.0	0.0	90.0
101	40.595	44.917	4.750	0.0	0.0	90.0
102	40.595	49.194	4.750	0.0	0.0	90.0
103	40.595	53.472	4.750	0.0	0.0	90.0
104	40.595	57.750	4.750	0.0	0.0	90.0

Operator
Telephone
Fax
e-Mail

Room 1 / Luminaires (coordinates list)

No.	Position [m]			Rotation [°]		
	X	Y	Z	X	Y	Z
105	40.595	62.028	4.750	0.0	0.0	90.0
106	40.595	66.306	4.750	0.0	0.0	90.0
107	40.595	70.583	4.750	0.0	0.0	90.0
108	40.595	74.861	4.750	0.0	0.0	90.0
109	47.976	2.139	4.750	0.0	0.0	90.0
110	47.976	6.417	4.750	0.0	0.0	90.0
111	47.976	10.694	4.750	0.0	0.0	90.0
112	47.976	14.972	4.750	0.0	0.0	90.0
113	47.976	19.250	4.750	0.0	0.0	90.0
114	47.976	23.528	4.750	0.0	0.0	90.0
115	47.976	27.806	4.750	0.0	0.0	90.0
116	47.976	32.083	4.750	0.0	0.0	90.0
117	47.976	36.361	4.750	0.0	0.0	90.0
118	47.976	40.639	4.750	0.0	0.0	90.0
119	47.976	44.917	4.750	0.0	0.0	90.0
120	47.976	49.194	4.750	0.0	0.0	90.0
121	47.976	53.472	4.750	0.0	0.0	90.0
122	47.976	57.750	4.750	0.0	0.0	90.0
123	47.976	62.028	4.750	0.0	0.0	90.0
124	47.976	66.306	4.750	0.0	0.0	90.0
125	47.976	70.583	4.750	0.0	0.0	90.0
126	47.976	74.861	4.750	0.0	0.0	90.0
127	55.357	2.139	4.750	0.0	0.0	90.0
128	55.357	6.417	4.750	0.0	0.0	90.0
129	55.357	10.694	4.750	0.0	0.0	90.0
130	55.357	14.972	4.750	0.0	0.0	90.0
131	55.357	19.250	4.750	0.0	0.0	90.0
132	55.357	23.528	4.750	0.0	0.0	90.0
133	55.357	27.806	4.750	0.0	0.0	90.0
134	55.357	32.083	4.750	0.0	0.0	90.0
135	55.357	36.361	4.750	0.0	0.0	90.0
136	55.357	40.639	4.750	0.0	0.0	90.0
137	55.357	44.917	4.750	0.0	0.0	90.0
138	55.357	49.194	4.750	0.0	0.0	90.0
139	55.357	53.472	4.750	0.0	0.0	90.0
140	55.357	57.750	4.750	0.0	0.0	90.0
141	55.357	62.028	4.750	0.0	0.0	90.0
142	55.357	66.306	4.750	0.0	0.0	90.0

Operator
Telephone
Fax
e-Mail

Room 1 / Luminaires (coordinates list)

No.	Position [m]			Rotation [°]		
	X	Y	Z	X	Y	Z
143	55.357	70.583	4.750	0.0	0.0	90.0
144	55.357	74.861	4.750	0.0	0.0	90.0
145	62.738	2.139	4.750	0.0	0.0	90.0
146	62.738	6.417	4.750	0.0	0.0	90.0
147	62.738	10.694	4.750	0.0	0.0	90.0
148	62.738	14.972	4.750	0.0	0.0	90.0
149	62.738	19.250	4.750	0.0	0.0	90.0
150	62.738	23.528	4.750	0.0	0.0	90.0
151	62.738	27.806	4.750	0.0	0.0	90.0
152	62.738	32.083	4.750	0.0	0.0	90.0
153	62.738	36.361	4.750	0.0	0.0	90.0
154	62.738	40.639	4.750	0.0	0.0	90.0
155	62.738	44.917	4.750	0.0	0.0	90.0
156	62.738	49.194	4.750	0.0	0.0	90.0
157	62.738	53.472	4.750	0.0	0.0	90.0
158	62.738	57.750	4.750	0.0	0.0	90.0
159	62.738	62.028	4.750	0.0	0.0	90.0
160	62.738	66.306	4.750	0.0	0.0	90.0
161	62.738	70.583	4.750	0.0	0.0	90.0
162	62.738	74.861	4.750	0.0	0.0	90.0
163	70.119	2.139	4.750	0.0	0.0	90.0
164	70.119	6.417	4.750	0.0	0.0	90.0
165	70.119	10.694	4.750	0.0	0.0	90.0
166	70.119	14.972	4.750	0.0	0.0	90.0
167	70.119	19.250	4.750	0.0	0.0	90.0
168	70.119	23.528	4.750	0.0	0.0	90.0
169	70.119	27.806	4.750	0.0	0.0	90.0
170	70.119	32.083	4.750	0.0	0.0	90.0
171	70.119	36.361	4.750	0.0	0.0	90.0
172	70.119	40.639	4.750	0.0	0.0	90.0
173	70.119	44.917	4.750	0.0	0.0	90.0
174	70.119	49.194	4.750	0.0	0.0	90.0
175	70.119	53.472	4.750	0.0	0.0	90.0
176	70.119	57.750	4.750	0.0	0.0	90.0
177	70.119	62.028	4.750	0.0	0.0	90.0
178	70.119	66.306	4.750	0.0	0.0	90.0
179	70.119	70.583	4.750	0.0	0.0	90.0
180	70.119	74.861	4.750	0.0	0.0	90.0

Operator
Telephone
Fax
e-Mail

Room 1 / Luminaires (coordinates list)

No.	Position [m]			Rotation [°]		
	X	Y	Z	X	Y	Z
181	77.500	2.139	4.750	0.0	0.0	90.0
182	77.500	6.417	4.750	0.0	0.0	90.0
183	77.500	10.694	4.750	0.0	0.0	90.0
184	77.500	14.972	4.750	0.0	0.0	90.0
185	77.500	19.250	4.750	0.0	0.0	90.0
186	77.500	23.528	4.750	0.0	0.0	90.0
187	77.500	27.806	4.750	0.0	0.0	90.0
188	77.500	32.083	4.750	0.0	0.0	90.0
189	77.500	36.361	4.750	0.0	0.0	90.0
190	77.500	40.639	4.750	0.0	0.0	90.0
191	77.500	44.917	4.750	0.0	0.0	90.0
192	77.500	49.194	4.750	0.0	0.0	90.0
193	77.500	53.472	4.750	0.0	0.0	90.0
194	77.500	57.750	4.750	0.0	0.0	90.0
195	77.500	62.028	4.750	0.0	0.0	90.0
196	77.500	66.306	4.750	0.0	0.0	90.0
197	77.500	70.583	4.750	0.0	0.0	90.0
198	77.500	74.861	4.750	0.0	0.0	90.0
199	84.881	2.139	4.750	0.0	0.0	90.0
200	84.881	6.417	4.750	0.0	0.0	90.0
201	84.881	10.694	4.750	0.0	0.0	90.0
202	84.881	14.972	4.750	0.0	0.0	90.0
203	84.881	19.250	4.750	0.0	0.0	90.0
204	84.881	23.528	4.750	0.0	0.0	90.0
205	84.881	27.806	4.750	0.0	0.0	90.0
206	84.881	32.083	4.750	0.0	0.0	90.0
207	84.881	36.361	4.750	0.0	0.0	90.0
208	84.881	40.639	4.750	0.0	0.0	90.0
209	84.881	44.917	4.750	0.0	0.0	90.0
210	84.881	49.194	4.750	0.0	0.0	90.0
211	84.881	53.472	4.750	0.0	0.0	90.0
212	84.881	57.750	4.750	0.0	0.0	90.0
213	84.881	62.028	4.750	0.0	0.0	90.0
214	84.881	66.306	4.750	0.0	0.0	90.0
215	84.881	70.583	4.750	0.0	0.0	90.0
216	84.881	74.861	4.750	0.0	0.0	90.0
217	92.262	2.139	4.750	0.0	0.0	90.0
218	92.262	6.417	4.750	0.0	0.0	90.0

Operator
Telephone
Fax
e-Mail

Room 1 / Luminaires (coordinates list)

No.	Position [m]			Rotation [°]		
	X	Y	Z	X	Y	Z
219	92.262	10.694	4.750	0.0	0.0	90.0
220	92.262	14.972	4.750	0.0	0.0	90.0
221	92.262	19.250	4.750	0.0	0.0	90.0
222	92.262	23.528	4.750	0.0	0.0	90.0
223	92.262	27.806	4.750	0.0	0.0	90.0
224	92.262	32.083	4.750	0.0	0.0	90.0
225	92.262	36.361	4.750	0.0	0.0	90.0
226	92.262	40.639	4.750	0.0	0.0	90.0
227	92.262	44.917	4.750	0.0	0.0	90.0
228	92.262	49.194	4.750	0.0	0.0	90.0
229	92.262	53.472	4.750	0.0	0.0	90.0
230	92.262	57.750	4.750	0.0	0.0	90.0
231	92.262	62.028	4.750	0.0	0.0	90.0
232	92.262	66.306	4.750	0.0	0.0	90.0
233	92.262	70.583	4.750	0.0	0.0	90.0
234	92.262	74.861	4.750	0.0	0.0	90.0
235	99.643	2.139	4.750	0.0	0.0	90.0
236	99.643	6.417	4.750	0.0	0.0	90.0
237	99.643	10.694	4.750	0.0	0.0	90.0
238	99.643	14.972	4.750	0.0	0.0	90.0
239	99.643	19.250	4.750	0.0	0.0	90.0
240	99.643	23.528	4.750	0.0	0.0	90.0
241	99.643	27.806	4.750	0.0	0.0	90.0
242	99.643	32.083	4.750	0.0	0.0	90.0
243	99.643	36.361	4.750	0.0	0.0	90.0
244	99.643	40.639	4.750	0.0	0.0	90.0
245	99.643	44.917	4.750	0.0	0.0	90.0
246	99.643	49.194	4.750	0.0	0.0	90.0
247	99.643	53.472	4.750	0.0	0.0	90.0
248	99.643	57.750	4.750	0.0	0.0	90.0
249	99.643	62.028	4.750	0.0	0.0	90.0
250	99.643	66.306	4.750	0.0	0.0	90.0
251	99.643	70.583	4.750	0.0	0.0	90.0
252	99.643	74.861	4.750	0.0	0.0	90.0
253	107.024	2.139	4.750	0.0	0.0	90.0
254	107.024	6.417	4.750	0.0	0.0	90.0
255	107.024	10.694	4.750	0.0	0.0	90.0
256	107.024	14.972	4.750	0.0	0.0	90.0

Operator
Telephone
Fax
e-Mail

Room 1 / Luminaires (coordinates list)

No.	Position [m]			Rotation [°]		
	X	Y	Z	X	Y	Z
257	107.024	19.250	4.750	0.0	0.0	90.0
258	107.024	23.528	4.750	0.0	0.0	90.0
259	107.024	27.806	4.750	0.0	0.0	90.0
260	107.024	32.083	4.750	0.0	0.0	90.0
261	107.024	36.361	4.750	0.0	0.0	90.0
262	107.024	40.639	4.750	0.0	0.0	90.0
263	107.024	44.917	4.750	0.0	0.0	90.0
264	107.024	49.194	4.750	0.0	0.0	90.0
265	107.024	53.472	4.750	0.0	0.0	90.0
266	107.024	57.750	4.750	0.0	0.0	90.0
267	107.024	62.028	4.750	0.0	0.0	90.0
268	107.024	66.306	4.750	0.0	0.0	90.0
269	107.024	70.583	4.750	0.0	0.0	90.0
270	107.024	74.861	4.750	0.0	0.0	90.0
271	114.405	2.139	4.750	0.0	0.0	90.0
272	114.405	6.417	4.750	0.0	0.0	90.0
273	114.405	10.694	4.750	0.0	0.0	90.0
274	114.405	14.972	4.750	0.0	0.0	90.0
275	114.405	19.250	4.750	0.0	0.0	90.0
276	114.405	23.528	4.750	0.0	0.0	90.0
277	114.405	27.806	4.750	0.0	0.0	90.0
278	114.405	32.083	4.750	0.0	0.0	90.0
279	114.405	36.361	4.750	0.0	0.0	90.0
280	114.405	40.639	4.750	0.0	0.0	90.0
281	114.405	44.917	4.750	0.0	0.0	90.0
282	114.405	49.194	4.750	0.0	0.0	90.0
283	114.405	53.472	4.750	0.0	0.0	90.0
284	114.405	57.750	4.750	0.0	0.0	90.0
285	114.405	62.028	4.750	0.0	0.0	90.0
286	114.405	66.306	4.750	0.0	0.0	90.0
287	114.405	70.583	4.750	0.0	0.0	90.0
288	114.405	74.861	4.750	0.0	0.0	90.0
289	121.786	2.139	4.750	0.0	0.0	90.0
290	121.786	6.417	4.750	0.0	0.0	90.0
291	121.786	10.694	4.750	0.0	0.0	90.0
292	121.786	14.972	4.750	0.0	0.0	90.0
293	121.786	19.250	4.750	0.0	0.0	90.0
294	121.786	23.528	4.750	0.0	0.0	90.0

Operator
Telephone
Fax
e-Mail

Room 1 / Luminaires (coordinates list)

No.	Position [m]			Rotation [°]		
	X	Y	Z	X	Y	Z
295	121.786	27.806	4.750	0.0	0.0	90.0
296	121.786	32.083	4.750	0.0	0.0	90.0
297	121.786	36.361	4.750	0.0	0.0	90.0
298	121.786	40.639	4.750	0.0	0.0	90.0
299	121.786	44.917	4.750	0.0	0.0	90.0
300	121.786	49.194	4.750	0.0	0.0	90.0
301	121.786	53.472	4.750	0.0	0.0	90.0
302	121.786	57.750	4.750	0.0	0.0	90.0
303	121.786	62.028	4.750	0.0	0.0	90.0
304	121.786	66.306	4.750	0.0	0.0	90.0
305	121.786	70.583	4.750	0.0	0.0	90.0
306	121.786	74.861	4.750	0.0	0.0	90.0
307	129.167	2.139	4.750	0.0	0.0	90.0
308	129.167	6.417	4.750	0.0	0.0	90.0
309	129.167	10.694	4.750	0.0	0.0	90.0
310	129.167	14.972	4.750	0.0	0.0	90.0
311	129.167	19.250	4.750	0.0	0.0	90.0
312	129.167	23.528	4.750	0.0	0.0	90.0
313	129.167	27.806	4.750	0.0	0.0	90.0
314	129.167	32.083	4.750	0.0	0.0	90.0
315	129.167	36.361	4.750	0.0	0.0	90.0
316	129.167	40.639	4.750	0.0	0.0	90.0
317	129.167	44.917	4.750	0.0	0.0	90.0
318	129.167	49.194	4.750	0.0	0.0	90.0
319	129.167	53.472	4.750	0.0	0.0	90.0
320	129.167	57.750	4.750	0.0	0.0	90.0
321	129.167	62.028	4.750	0.0	0.0	90.0
322	129.167	66.306	4.750	0.0	0.0	90.0
323	129.167	70.583	4.750	0.0	0.0	90.0
324	129.167	74.861	4.750	0.0	0.0	90.0
325	136.548	2.139	4.750	0.0	0.0	90.0
326	136.548	6.417	4.750	0.0	0.0	90.0
327	136.548	10.694	4.750	0.0	0.0	90.0
328	136.548	14.972	4.750	0.0	0.0	90.0
329	136.548	19.250	4.750	0.0	0.0	90.0
330	136.548	23.528	4.750	0.0	0.0	90.0
331	136.548	27.806	4.750	0.0	0.0	90.0
332	136.548	32.083	4.750	0.0	0.0	90.0

Operator
Telephone
Fax
e-Mail

Room 1 / Luminaires (coordinates list)

No.	Position [m]			Rotation [°]		
	X	Y	Z	X	Y	Z
333	136.548	36.361	4.750	0.0	0.0	90.0
334	136.548	40.639	4.750	0.0	0.0	90.0
335	136.548	44.917	4.750	0.0	0.0	90.0
336	136.548	49.194	4.750	0.0	0.0	90.0
337	136.548	53.472	4.750	0.0	0.0	90.0
338	136.548	57.750	4.750	0.0	0.0	90.0
339	136.548	62.028	4.750	0.0	0.0	90.0
340	136.548	66.306	4.750	0.0	0.0	90.0
341	136.548	70.583	4.750	0.0	0.0	90.0
342	136.548	74.861	4.750	0.0	0.0	90.0
343	143.929	2.139	4.750	0.0	0.0	90.0
344	143.929	6.417	4.750	0.0	0.0	90.0
345	143.929	10.694	4.750	0.0	0.0	90.0
346	143.929	14.972	4.750	0.0	0.0	90.0
347	143.929	19.250	4.750	0.0	0.0	90.0
348	143.929	23.528	4.750	0.0	0.0	90.0
349	143.929	27.806	4.750	0.0	0.0	90.0
350	143.929	32.083	4.750	0.0	0.0	90.0
351	143.929	36.361	4.750	0.0	0.0	90.0
352	143.929	40.639	4.750	0.0	0.0	90.0
353	143.929	44.917	4.750	0.0	0.0	90.0
354	143.929	49.194	4.750	0.0	0.0	90.0
355	143.929	53.472	4.750	0.0	0.0	90.0
356	143.929	57.750	4.750	0.0	0.0	90.0
357	143.929	62.028	4.750	0.0	0.0	90.0
358	143.929	66.306	4.750	0.0	0.0	90.0
359	143.929	70.583	4.750	0.0	0.0	90.0
360	143.929	74.861	4.750	0.0	0.0	90.0
361	151.310	2.139	4.750	0.0	0.0	90.0
362	151.310	6.417	4.750	0.0	0.0	90.0
363	151.310	10.694	4.750	0.0	0.0	90.0
364	151.310	14.972	4.750	0.0	0.0	90.0
365	151.310	19.250	4.750	0.0	0.0	90.0
366	151.310	23.528	4.750	0.0	0.0	90.0
367	151.310	27.806	4.750	0.0	0.0	90.0
368	151.310	32.083	4.750	0.0	0.0	90.0
369	151.310	36.361	4.750	0.0	0.0	90.0
370	151.310	40.639	4.750	0.0	0.0	90.0

Operator
Telephone
Fax
e-Mail


Room 1 / Luminaires (coordinates list)

No.	Position [m]			Rotation [°]		
	X	Y	Z	X	Y	Z
371	151.310	44.917	4.750	0.0	0.0	90.0
372	151.310	49.194	4.750	0.0	0.0	90.0
373	151.310	53.472	4.750	0.0	0.0	90.0
374	151.310	57.750	4.750	0.0	0.0	90.0
375	151.310	62.028	4.750	0.0	0.0	90.0
376	151.310	66.306	4.750	0.0	0.0	90.0
377	151.310	70.583	4.750	0.0	0.0	90.0
378	151.310	74.861	4.750	0.0	0.0	90.0

www.soluciones-led.com

Operator
Telephone
Fax
e-Mail


Room 1 / 3D Rendering



www.solucionesled.com

Operator
Telephone
Fax
e-Mail

Room 1 / False Colour Rendering



2

8

100

200

300

400

600


800

1000

lx

Operator
 Telephone
 Fax
 e-Mail

Room 1 / Floor / Isolines (E)



Values in Lux, Scale 1 : 1109

Position of surface in room:
 Marked point:
 (0.000 m, 0.000 m, 0.000 m)



Grid: 128 x 128 Points

E_{av} [lx]	E_{min} [lx]	E_{max} [lx]	u_0	E_{min} / E_{max}
447	176	539	0.394	0.327

WWW.SOLUCIONES360.COM